CLAIMS:

2

1

1	1. A device for deterring pets from scratching fabric of home furnishings comprising:
2	a generally planar transfer sheet;
3	a plurality of rectangular transparent strips, each of said strips having a length
4	substantially greater than its width, said strips being arranged side-by-side on said transfer sheet,
5	each of said strips having first and second adhesive surfaces on opposite sides, each of said strips
6	being releasably adhered to said transfer sheet on said first adhesive surface;
7	a plurality of release layers, each of said release layers having a length and width
8	substantially the same as the length and width of one of said strips, each of said release layers
9	releasably adhered on said second adhesive surface one of said strips;
10	wherein said transparent strips are adapted to be removed from said transfer sheet and
11	releasably adhered to said home furnishing on said first adhesive surface, and said release layers
12	are adapted to be removed from said second adhesive surface revealing said second adhesive
13	surface and wherein
14	said first and second adhesive surfaces are formulated from a water soluble adhesive to
15	prevent damage to fabric of home furnishings.
1	2. The device of claim 1 wherein said strips are uniformly spaced apart from one

- 2. The device of claim 1 wherein said strips are uniformly spaced apart from one another by gaps on said transfer sheet to facilitate removal of said strips from said transfer sheet.
- 3. The device of claim 1 wherein said strips have substantially the same widths as each other and substantially the same lengths as each other.

1

2

3

4

5

6

7

8

9

10

11

12

13

1

1	4.	The device of claim 1 wherein the device further includes a cut in each of said
2	release laye	rs extending along said lengths of said release layers, which splits said release layers
3	lengthwise	to facilitate removal of said release layers from said strips.

- 5. A method of deterring pets from scratching fabric of home furnishings comprising the steps of:
 - providing a generally planar transfer sheet;
 - (b) attaching a plurality of rectangular transparent strips on said transfer sheet, each of said strips having a length considerably greater than its width, each of said strips having first and second adhesive surfaces on opposite sides, said adhesive surfaces being of water soluble adhesive and being releasably adhered to said transfer sheet on said first adhesive surface;
 - providing a release layer releasably adhered on said second adhesive surface of each of said strips;
 - peeling said transparent strips from said transfer sheet and releasably adhering said strips to said home furnishing on said first adhesive surface; then
 - peeling said release layer from said second adhesive surface of each of said strips to reveal said second adhesive surface.
- 6. The method of claim 5 wherein step (c) further comprises the step of providing a cut in each of said release layers which splits said release layers lengthwise; and
- 3 wherein step (e) further comprises the step of peeling each of said release layers off in 4 two portions.

1	7. A device for deterring pets from clawing an object comprising:		
2	a transfer sheet;		
3	a strip having a first adhesive surface and a second adhesive surface, the strip releasably		
4	adhered to the transfer sheet on the first adhesive surface; and,		
5	a release layer adhered on the second adhesive surface, wherein the release layer includes		
6	a cut which divides the release layer into at least two portions, allowing removal of one portion		
7	at a time.		
1	8. The device of claim 7 wherein the transfer sheet comprises a plurality of strips		
2	uniformly spaced apart from one another by gaps.		
1	9. The device of claim 7 comprising a plurality of strips arranged side by side on the		
2	transfer sheet.		
1	10. The device of claim 7 wherein the first adhesive surface and the second adhesive		
2	surface are formulated from a water soluble adhesive.		
2	surface are formulated from a water soluble adnessive.		
1	11. The device of claim 7 wherein the cut splits the release layer lengthwise.		
1	12. The device of claim 7 wherein the cut splits the release layer crosswise.		
1	13. The device of claim 7 wherein the strip is transparent.		

2	transfer sheet.
1	15. The device of claim 13 wherein the strip is substantially the same width as the
2	transfer sheet.
1	16. A method for deterring pets from clawing an object, comprising the steps of:
2	(a) providing a transfer sheet;
3	(b) providing at least one strip having a first adhesive surface and a second adhesive
4	surface, the strip releasably adhered to the transfer sheet on the first adhesive surface;
5	(c) providing a release layer with a first part and a second part affixed to the second
6	adhesive surface;
7	(d) removing the strip from the transfer sheet exposing the first adhesive surface;
8	(e) affixing the exposed first adhesive surface to a portion of the object;
9	(f) removing the first part of the release layer; and
10	(g) removing the second part of the release layer.
1	17. The method of claim 16 wherein step (e) comprises affixing the strip on a fabric
2	portion of the object.
1	18. The method of claim 16 wherein the object is a drapery.
1	19. The method of claim 16 wherein the object is a countertop.

14. The device of claim 13 wherein the strip is substantially the same length as the

1	20.	The method of claim 16 wherein step (e) comprises affixing the strip to a corner of
2	the object.	
1	21.	The method of claim 16 wherein the transfer sheet includes a paraffin coating to
2	facilitate eas	sier release from the first and second adhesive surfaces.
1	22.	The method of claim 16 wherein step (b) further comprises providing a plurality of
2	strips on the	transfer sheet.
1	23.	The method of claim 16 wherein the strip is transparent.
	24	
1	24.	The method of claim 17 wherein step (b) further comprises providing a water
2	soluble adhe	esive on the first adhesive surface side.
1	25.	A method of deterring pets from clawing an object comprising the steps of:
2	(a)	providing a transfer sheet;
3	(b)	providing a transparent strip on the transfer sheet, the transparent strip having first
4	adhesive s	surface and a second adhesive surface, the strip releasably adhered to the transfer
5	sheet on th	ne first adhesive surface;
6	(c)	providing a release layer releasably adhered on the second adhesive surface of the
7	transparen	t strip;
8	(d)	peeling the transparent strip from the transfer sheet and removably adhering the

strip to an object on the first adhesive surface; and

transfer sheet.

10 peeling the release layer from said second adhesive surface to expose the second 11 adhesive surface. 1 The method of claim 25 wherein step (b) further comprises providing a 26. 2 plurality of strips uniformly spaced apart from one another by gaps on the transfer sheet. 1 27. The method of claim 25 wherein step (b) further comprises providing a 2 plurality of strips arranged side by side on the transfer sheet. 1 28. The method of claim 25 wherein step (c) further comprises the step of 2 providing a release layer divided into at least two portions; and 3 wherein step (e) further comprises the step of removing the portions from the 4 release layer one at a time. 1 The method of claim 25 wherein step (c) further comprises the step of 2 providing a cut in said release layer strip which splits the release layer lengthwise into at 3 least two portions; and 4 wherein step (e) further comprises the step of removing the release layer. 1 The method of claim 25 wherein the strip is substantially the same length as the 2 transfer sheet. 1 The method of claim 30 wherein the strip is substantially the same width as the

- 1 32. A method for deterring pets from digging in soil comprising the steps of:
- 2 (a) providing a strip made of a corrugated substrate having an upper adhesive surface, 3 wherein the upper adhesive surface is protected from contact by a release layer;
- 4 (b) placing the corrugated strip on a soil surface, wherein the upper adhesive surface 5 is placed facing away from the soil; and,
 - (c) removing the release layer.

- 1 33. The method of claim 32 wherein step (a) further comprises providing a water resistant substrate.
- 1 34. The method of claim 33 wherein step (c) further comprises placing a plurality of strips in an overlaying relationship, thereby providing greater coverage of soil.
- 1 35. The method of claim 32 wherein the release layer comprises a first piece and a second piece.

36. The method of claim 35 further comprising the steps of removing the first piece and 1 2 removing the second piece. 1 The method of claim 32 wherein the cut is lengthwise relative to the strip. 1 38. The method of claim 32 wherein the cut is crosswise relative to the strip. 1 The method of claim 32 wherein the strip is colored. 1 The method of claim 32 wherein the strip is plastic. 40. 1 41. The method of claim 32 wherein the strip is rigid. 1 42. A device for deterring pets from contacting soil comprising: 2 a corrugated substrate; 3 a strip having a first adhesive surface and a second adhesive surface, the strip releasably 4 adhered to the corrugated substrate on the first adhesive surface; and, 5 a release layer adhered on the second adhesive surface. 1 43. The device of claim 42 wherein the substrate is plastic. 1 44. The device of claim 42 wherein the substrate is colored.

- 1 45. The device of claim 42 wherein the release layer further comprises two separately
- 2 removable portions.